

Table of Contents

S.NO.	PAPER TITLE	PG NO.
1.	SEISMIC FRAGILITY ASSESSMENT OF LOW-RISE UNREINFORCED MASONRY BUILDINGS IN THE KURDISTAN REGION OF IRAQ	1 – 9
2.	ANALYSES OF CORROSION POTENTIAL FROM INHIBITOR-ADMIXED STEEL-REINFORCED CONCRETE: IMPLICATION ON STEEL-REBAR CORROSION RISK/PROBABILITY ANALYSES OF CORROSION POTENTIAL FROM INHIBITOR-ADMIXED STEEL-REINFORCED CONCRETE	10 – 14
3.	CHARACTERISATION OF A NOVEL FOAM FILLED FLUID VIBRATION ISOLATOR	15 – 20
4.	STRENGTHENING OF SQUARE RC COLUMNS USING EXTERNALLY BONDED FRP SHEETS	21 – 25
5.	A NOVEL RAPID PROTOTYPING PROCESS FOR THE PRODUCTION OF METAL PARTS	26 – 29
6.	IMPLEMENTATION AND VALUE CREATION OF GREEN PRODUCTIVITY BY GREEN SUPPLY CHAIN MANAGEMENT	30 – 34
7.	MODELING, CONTROL AND EXPERIMENTAL VALIDATION OF A DEVICE FOR SEISMIC EVENTS SIMULATION	35 – 40
8.	IMPROVEMENT OF THE SERVICE LIFE OF SUSTAINABLE SELF-COMPACTING CONCRETE SCC BY INTEGRATING HIGH DOSAGE OF CEMENT REPLACEMENT	41 – 48
9.	POLY(DIMETHYLSILOXANE)-TiO <sub>2</sub> NANOCOMPOSITES FOR DIELECTRIC AND PIEZOELECTRIC APPLICATIONS	49 – 52
10.	GYROSCOPE'S TORQUES AND MOTIONS	53 – 57
11.	INFLUENCE OF TEMPERATURE EFFECTS IN STEEL BOX GIRDERS	58 – 62
12.	INFLUENCE OF RECYCLED GLASS ADDITION ON MORTAR PROPERTIES	63 – 67
13.	EXPERIMENTAL STUDY ON CRACKING BEHAVIOUR OF FIBER REINFORCED CONCRETES BY RING TEST	68 – 74
14.	FLEXURAL BEHAVIOUR OF BFRP REINFORCED BEAMS	75 – 79
15.	EFFECT OF FIBER LENGTH ON PHYSICO-MECHANICAL PROPERTY OF EUPHORBIA COAGULUM BANANA FIBER COMPOSITE	80 – 84
16.	SIMULTANEOUS ANALYSIS OF WEEE MANAGEMENT SYSTEM FOCUSING ON THE SUPPLY CHAIN IN INDIA, UK AND SWITZERLAND	85 – 89
17.	NUMERICAL ANALYSIS FOR THE ELECTROMAGNETIC SEALING OF MECHANICAL STRUCTURE*	90 – 94
18.	ALKALI-SILICA REACTION MITIGATION USING HIGH VOLUME CLASS C FLY ASH	95 – 98

<b>19.</b> DISCRETE PHASE APPROACH FOR NANOFLUIDS FLOW IN PIPE	99 – 103
<b>20.</b> PARAMETER IDENTIFICATION OF MAGNETORHEOLOGICAL DAMPER USING PARTICLE SWARM OPTIMIZATION	104 – 109
<b>21.</b> PBO TEXTILE EMBEDDED IN FRCM FOR CONFINEMENT OF R.C. COLUMNS	111 – 115
<b>22.</b> LONG-TERM BEHAVIOUR OF FIBRE REINFORCED CEMENT COMPOSITES	116 – 121
<b>23.</b> GEOTHERMAL DISTRICT HEATING SYSTEM UNDER VARIABLE LOADS - PUMP STATION AND PIPE SYSTEM DESIGN	122 – 126
<b>24.</b> MICRO AND MACROSCOPIC DROPLET BEHAVIOR ON LOW-SURFACE-ENERGY SOLIDS	127 – 130
<b>25.</b> EFFECT OF SOLIDIFICATION RATE ON WEAR BEHAVIOUR OF HYPO-EUTECTIC AL-SI (A380) ALLOY CASTING	131 – 134
<b>26.</b> FATIGUE CHARACTERISTICS OF COLD RECYCLED BITUMINOUS EMULSION MIXTURES USING THE NOTTINGHAM ASPHALT TESTER IN THE ITFT MODE OF TESTING	135 – 143
<b>27.</b> DETERMINING THE RATIONAL ENTRY MODE FOR INTERNATIONAL CONSTRUCTION PROJECTS : CASE STUDY OF SUPER LONG-SPAN BRIDGES	144 – 148
<b>28.</b> BALLISTIC LIMIT OF NON-FILLED ALUMINIUM TANK: EXPERIMENTAL AND NUMERICAL STUDY	149
<b>29.</b> STRUCTURAL CRACK DETECTION IN COMPOSITE MATERIALS USING NEURAL NETWORKS	150 – 156
<b>30.</b> THE EFFECT OF FREEZE-THAWING ON STEEL FIBER-MATRIX BOND CHARACTERISTICS OF CEMENT BASED COMPOSITES	157 – 161
<b>31.</b> BEHAVIOR OF CFRP RETROFITTED INFILLED RC FRAME: FINITE ELEMENT MODEL	162 – 167
<b>32.</b> EXTERNAL STRENGTHENING OF RC CONTINUOUS BEAMS USING FRP PLATES: FINITE ELEMENT MODEL	168 – 174
<b>33.</b> MARGINAL ABATEMENT COSTS CURVE (MACC) FOR CARBON EMISSIONS REDUCTION FROM BUILDINGS: AN IMPLEMENTATION FOR OFFICE BUILDINGS IN COLOMBIA	175 – 183
<b>34.</b> INFLUENCES OF VARIATION IN GEOMETRY OF TAPE INSERT ON THERMAL PERFORMANCE AND FLOW CHARACTERISTICS IN TUBES	184 – 188
<b>35.</b> ASSESSMENT OF THE EXISTING PREFABRICATED RC RESIDENTIAL BUILDINGS IN BULGARIA AND RECOMMENDATIONS FOR THEIR REHABILITATION AND STRENGTHENING	189 – 193
<b>36.</b> DESIGN AND CHARACTERIZATION OF GRAPHENE ULTRA-THIN FLAT LENSES	194 – 197
<b>37.</b> ULTIMATE STRENGTH OF STIFFENED COMPOSITE PLATES WITH LARGE OPENING	198 – 202

<b>38.</b> INFLUENCE OF CONCRETE STRUCTURAL BUILDUP AT REST ON THE PENETRATION OF REINFORCEMENT CAGES IN PILES	203 – 208
<b>39.</b> SEISMIC EFFECTS ON STRUCTURES LOCATED IN THE REGION OF PALESTINE A CRITICAL REVIEW ON INTERNATIONAL BUILDING REGULATIONS	209 – 213
<b>40.</b> DYNAMIC RESPONSE OF PANEL MODELS IN MOBILE PHONE	214 – 217
<b>41.</b> EVALUATION OF STORY DRIFT RATIOS OF STEEL SPECIAL MOMENT FRAMES UNDER GROUND MOTIONS SCALED TO APPROXIMATE A UNIFORM HAZARD SPECTRUM	218 – 222
<b>42.</b> VIBRATION SUPPRESSION OF A CANTILEVER PLATE USING MAGNETICALLY TUNED-MASS-DAMPERS	223 – 225
<b>43.</b> IMPACT BEHAVIOR OF WINDOWED POLYGONAL TUBES	226 – 230
<b>44.</b> HIGH PERFORMANCE CONCRETE USING RECYCLED AGGREGATE, MICROSILICA AND SYNTHETIC MACRO FIBRE	231 – 234
<b>45.</b> DESIGN AND EXPERIMENTAL TESTS OF A MECHATRONIC DEVICE FOR BOTH ACTIVE VIBRATION AND MOTION CONTROL	235 – 241
<b>46.</b> POLLUTION CONTROL OF WASTEWATER IN RECHARGE AQUIFER	242 – 246
<b>47.</b> MODIFIED WEIBULL APPROACH TO DETERIORATION MODELLING: AN APPLICATION TO BRIDGE ELEMENTS	247 – 251
<b>48.</b> INELASTIC BEHAVIOR OF STEEL SPECIAL MOMENT FRAMES UNDER NEAR FAULT GROUND MOTIONS	252 – 255
<b>49.</b> SHEAR STRENGTH DEGRADATION DUE TO FLEXURAL DUCTILITY DEMAND IN R.C. ELEMENTS	140 – 144